



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277

E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com

HSN CODE : 8544



PRICE LIST MARCH 2021

ALUMINUM UN ARMoured / ARMoured

W.E.F : 01.03.2021

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		69.00	88.00		103.00		112.00	130.00		149.00
10		97.00	119.00		132.00		136.00	164.00		175.00
16		98.00	132.00		166.00		154.00	167.00		208.00
25	78.00	142.00	195.00	236.00	251.00	119.00	180.00	225.00	252.00	272.00
35	95.00	196.00	266.00	286.00	319.00	141.00	223.00	293.00	314.00	356.00
50	124.00	239.00	334.00	375.00	413.00	173.00	276.00	384.00	409.00	459.00
70	165.00	328.00	452.00	515.00	570.00	222.00	368.00	487.00	549.00	602.00
95	206.00	407.00	570.00	646.00	695.00	233.00	472.00	618.00	688.00	753.00
120	253.00	495.00	696.00	827.00	822.00	290.00	562.00	735.00	855.00	926.00
150	304.00	594.00	861.00	976.00	1041.00	341.00	680.00	916.00	998.00	1112.00
185	373.00	716.00	1052.00	1226.00	1296.00	417.00	820.00	1117.00	1258.00	1414.00
240	428.00	952.00	1342.00	1490.00	1688.00	515.00	1066.00	1407.00	1610.00	1773.00
300	534.00	1163.00	1615.00	1884.00	2014.00	633.00	1299.00	1710.00	1937.00	2191.00
400	668.00	1447.00	2064.00	2398.00	2726.00	797.00	1593.00	2258.00	2473.00	2842.00
500	924.00					1029.00				
630	1100.00					1202.00				
800	1478.00					1583.00				
1000	1905.00					2005.00				

EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor				LSZH	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
a) Round Wire Armouring			Armd.	Unarmd.			
- 2 x 16 & above	25.00%						
- 3 x 16 & 3.5CX25 & above	25.00%						
- 4 x 10 & above	25.00%						
- For Single core 95 & above	25.00%						
b) Stranding 10 sq.mm and below	10.00%						
c) Extruded PVC Innersheath Up 50	5.00%						
Extruded PVC Innersheath 70 & Above	2.50%						
d) HR PVC Insulation	10.00%						
e) HR PVC Inner Sheath	5.00%						
f) HR PVC Outer Sheath	5.00%						
g) Oxygen Index (FR)	2.50%						
h) PVC Cables	8.00%						

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277

E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



PRICE LIST MARCH 2021

CU UNARMoured / ARMoured

W.E.F : 01.03.2021

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Glavanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		175.00	245.00		311.00		206.00	272.00		357.00
6		251.00	351.00		451.00		284.00	380.00		517.00
10		398.00	564.00		702.00		413.00	583.00		775.00
16	330.00	561.00	824.00		1069.00	394.00	613.00	860.00		1146.00
25	506.00	849.00	1268.00	1415.00	1658.00	581.00	877.00	1342.00	1611.00	1765.00
35	686.00	1308.00	1780.00	2043.00	2375.00	781.00	1376.00	1903.00	2166.00	2504.00
50	960.00	1788.00	2442.00	2901.00	3215.00	1073.00	1858.00	2596.00	3029.00	3439.00
70	1344.00	2396.00	3556.00	4204.00	4854.00	1492.00	2592.00	3748.00	4370.00	5073.00
95	1837.00	3265.00	4861.00	5696.00	6427.00	1924.00	3460.00	4964.00	5724.00	6653.00
120	2320.00	4114.00	5786.00	7293.00	7921.00	2410.00	4249.00	6189.00	7412.00	8285.00
150	2908.00	5143.00	7401.00	9088.00	9969.00	3009.00	5315.00	7732.00	9420.00	10179.00
185	3573.00	6292.00	9249.00	10814.00	12879.00	3650.00	6525.00	9818.00	11442.00	12947.00
240	4654.00	8147.00	12148.00	14104.00	16328.00	4706.00	8501.00	12632.00	14595.00	16489.00
300	5863.00	10166.00	15269.00	17312.00	20187.00	5953.00	10783.00	16136.00	18219.00	21211.00
400	7677.00	13515.00	19490.00	22504.00	26051.00	7954.00	14610.00	21223.00	24481.00	27815.00
500	9701.00					9766.00				
630	12212.00					12277.00				
800	15469.00					15540.00				
1000	19338.00					19534.00				

CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	84.00	118.00	114.00		152.00	12	349.00	581.00
3	111.00	166.00	145.00	199.00	14	389.00	668.00	470.00	703.00
4	141.00	218.00	176.00	249.00	16	453.00	790.00	511.00	823.00
5	175.00	267.00	213.00	298.00	19	538.00	904.00	601.00	937.00
6	197.00	304.00	239.00	354.00	24	678.00	1145.00	749.00	1178.00
7	226.00	363.00	265.00	400.00	27	737.00	1243.00	819.00	1291.00
8	270.00	418.00	307.00	459.00	30	855.00	1381.00	893.00	1488.00
10	319.00	470.00	352.00	518.00	37	1033.00	1702.00	1089.00	1818.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

- A) Tinning 3.00%
- B) Stranding (Upto 6 SQ.MM) 4.00%
- C) Extruded Innersheath 2.50%
- D) Round Wire Armouring
 - 1C x 95 sq. mm & above 7.50%
 - 1.5 sq.mm - 16 core & above 15.00%

- E) HR PVC INSULATION 7.00%
- F) OXYGEN INDEX (FR) 2.50%
- G) HR PVC INSU/I.SH/O.SH. 5.00% (Each)
- H) FRLS Loading-**Power Cable** upto 6sq mm - 7.50%
- FRLS Loading-**Power Cable** 10 sq mm and above - 4.00%
- I) PVC Cables 5%

- 2.5 sq.mm - 10 core & above 15.00%
- 16 sq.mm - 4 core & above 15.00%
- 25 sq.mm - 2 core & above 15.00%
- 16 sq.mm - 3 core & above 15.00%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	6.0%	7.5%	15.0%	15.0%
5 - 10	5.0%	4.0%	7.5%	15.0%	15.0%
12 & Above	5.0%	4.0%	7.5%	12.5%	12.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277

E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com

BRUGG CABLES

Well connected.

Under trademark license agreement with Brugg Kabel AG,
Switzerland to manufacture EHV cables up to 220kV



PRICE LIST MARCH 2021

W.E.F : 01.03.2021

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3KA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		698.00	767.00	891.00	915.00	1068.00
300		812.00	894.00	1005.00	1027.00	1252.00
400		986.00	1070.00	1190.00	1217.00	1432.00
500		1252.00	1298.00	1488.00	1488.00	1757.00
630		1505.00	1546.00	1766.00	1766.00	2059.00
800		1853.00	1878.00	2060.00	2060.00	2358.00
1000		2222.00	2440.00	2683.00	2683.00	2876.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 03 of 05

KEI WIRES & CABLES



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277

E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



PRICE LIST MARCH 2021

W.E.F : 01.03.2021

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		732.00	805.00	938.00	961.00	1125.00
300		857.00	943.00	1057.00	1082.00	1319.00
400		1039.00	1126.00	1252.00	1280.00	1505.00
500		1319.00	1364.00	1564.00	1564.00	1850.00
630		1586.00	1627.00	1856.00	1856.00	2167.00
800		1948.00	1975.00	2169.00	2169.00	2482.00
1000		2339.00	2571.00	2821.00	2821.00	3017.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277
E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



PRICE LIST MARCH 2021

W.E.F : 01.03.2021

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFV					
	3.3 KV E	6.6 KV (E) / 3.3 KV (UE)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			708.00			
50			810.00			
70		926.00	951.00			
95		1058.00	1125.00	1455.00	1513.00	2017.00
120		1269.00	1302.00	1689.00	1727.00	2302.00
150		1412.00	1447.00	1867.00	1904.00	2437.00
185		1644.00	1686.00	2088.00	2134.00	2690.00
240		1973.00	2023.00	2456.00	2501.00	3078.00
300		2346.00	2406.00	2823.00	2870.00	3457.00
400		2902.00	2956.00	3406.00	3493.00	4003.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.