



# KEI INDUSTRIES LIMITED ( MUMBAI )



Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com

HSN CODE : 8544



## PRICE LIST MARCH 2022

ALUMINUM UN ARMoured / ARMoured

W.E.F : 08.03.2022

**"KEI" BRAND** Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		125.00	160.00		188.00		204.00	235.00		272.00
10		176.00	215.00		240.00		248.00	295.00		320.00
16		193.00	242.00		302.00		281.00	306.00		377.00
25	139.00	250.00	345.00	432.00	455.00	212.00	317.00	398.00	462.00	493.00
35	170.00	344.00	471.00	519.00	577.00	251.00	392.00	518.00	571.00	646.00
50	219.00	420.00	591.00	694.00	773.00	304.00	484.00	679.00	756.00	859.00
70	290.00	577.00	833.00	953.00	1096.00	389.00	648.00	896.00	1016.00	1154.00
95	381.00	715.00	1041.00	1191.00	1306.00	432.00	829.00	1129.00	1269.00	1416.00
120	456.00	874.00	1274.00	1527.00	1566.00	523.00	991.00	1344.00	1578.00	1743.00
150	548.00	1043.00	1562.00	1797.00	1974.00	615.00	1194.00	1661.00	1837.00	2109.00
185	673.00	1259.00	1916.00	2267.00	2429.00	753.00	1442.00	2036.00	2325.00	2651.00
240	795.00	1673.00	2453.00	2739.00	3160.00	956.00	1873.00	2573.00	2960.00	3319.00
300	990.00	2044.00	3039.00	3482.00	3785.00	1175.00	2282.00	3217.00	3602.00	4117.00
400	1242.00	2550.00	3762.00	4426.00	5125.00	1483.00	2807.00	4116.00	4634.00	5342.00
500	1626.00					1812.00				
630	2041.00					2230.00				
800	2594.00					2778.00				
1000	3337.00					3511.00				

**EXTRAS FOR SPECIAL CONSTRUCTION:**

a) Round Wire Armouring	Cable Size (Sq.mm)	FRLS Loading Factor				LSZH	
		Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath	
			Armd.	Unarmd.			
- 2 x 16 & above	30.00%						
- 3 x 16 & 3.5CX25 & above	30.00%						
- 4 x 10 & above	30.00%						
- For Single core 95 & above	30.00%						
b) Stranding 10 sq.mm and below	10.00%						
c) Extruded PVC Innersheath Up 50	7.50%						
Extruded PVC Innersheath 70 & Above	4.00%						
d) HR PVC Insulation	15.00%						
e) HR PVC Inner Sheath	7.50%						
f) HR PVC Outer Sheath	7.50%						
g) Oxygen Index (FR)	4.00%						
h) PVC Cables	12.00%						

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com



## PRICE LIST MARCH 2022

CU UNARMoured / ARMoured

W.E.F : 08.03.2022

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		248.00	346.00		434.00		292.00	384.00		497.00
6		353.00	496.00		632.00		400.00	536.00		724.00
10		611.00	837.00		988.00		634.00	866.00		1091.00
16	445.00	757.00	1189.00		1490.00	532.00	827.00	1240.00		1597.00
25	663.00	1255.00	1815.00	2000.00	2319.00	760.00	1297.00	1920.00	2278.00	2469.00
35	898.00	1713.00	2425.00	2859.00	3371.00	1023.00	1802.00	2593.00	3032.00	3553.00
50	1286.00	2348.00	3342.00	4059.00	4406.00	1437.00	2440.00	3553.00	4238.00	4714.00
70	1790.00	3117.00	4837.00	5729.00	6648.00	1988.00	3373.00	5096.00	5956.00	6948.00
95	2438.00	4334.00	7047.00	8352.00	9241.00	2554.00	4593.00	7196.00	8392.00	9567.00
120	3050.00	5302.00	8371.00	10424.00	11329.00	3168.00	5476.00	8954.00	10593.00	11850.00
150	3751.00	6636.00	10109.00	12438.00	14738.00	3882.00	6857.00	10561.00	12893.00	15049.00
185	4648.00	8185.00	13000.00	15392.00	18429.00	4748.00	8488.00	13799.00	16286.00	18527.00
240	5987.00	10479.00	17378.00	20394.00	23862.00	6054.00	10935.00	18070.00	21106.00	24097.00
300	7530.00	13057.00	21442.00	25069.00	28716.00	7646.00	13849.00	22659.00	26381.00	30171.00
400	9900.00	17429.00	28105.00	32446.00	38511.00	10258.00	18840.00	30602.00	35296.00	41117.00
500	12602.00					12686.00				
630	15864.00					15949.00				
800	20094.00					20187.00				
1000	25121.00					25375.00				

### CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY				ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5		2.5		1.5	2.5		1.5	2.5	1.5	2.5
	2	121.00	174.00	164.00	225.00	12		489.00	818.00	573.00	856.00
3	155.00	232.00	202.00	278.00	14	544.00	969.00	657.00	1019.00		
4	197.00	303.00	246.00	347.00	16	647.00	1102.00	729.00	1149.00		
5	245.00	374.00	299.00	417.00	19	764.00	1269.00	854.00	1317.00		
6	275.00	424.00	334.00	494.00	24	969.00	1606.00	1070.00	1651.00		
7	315.00	508.00	370.00	559.00	27	1068.00	1777.00	1187.00	1845.00		
8	377.00	584.00	428.00	641.00	30	1251.00	1922.00	1306.00	2071.00		
10	469.00	665.00	517.00	732.00	37	1507.00	2375.00	1589.00	2538.00		

### EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

A) Tinning	3.00%
B) Stranding (Upto 6 SQ.MM )	4.00%
C) Extruded Innersheath	4.00%
D) Round Wire Armouring	
1C x 95 sq. mm & above	9.00%
1.5 sq.mm - 16 core & above	18.00%
2.5 sq.mm - 10 core & above	18.00%
16 sq.mm - 4 core & above	18.00%
25 sq.mm - 2 core & above	18.00%
16 sq.mm - 3 core & above	18.00%

E) HR PVC INSULATION	10.00%
F) OXYGEN INDEX (FR)	4.00%
G) HR I.SH & O.SH.	7.50% ( Each )
H) FRLS Loading -Power Cable	upto 6sq mm - 11.50%
FRLS Loading -Power Cable	10 sq mm and above - 6.00%
I) PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	7.5%	9.0%	9.0%	22.5%	22.5%
5 - 10	7.5%	6.0%	6.0%	22.5%	22.5%
12 & Above	7.5%	6.0%	6.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com



## PRICE LIST MARCH 2022

W.E.F : 08.03.2022

**"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3kA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMORED , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.**

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEFaY					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1286.00	1414.00	1601.00	1638.00	2107.00
300		1473.00	1622.00	1824.00	1866.00	2491.00
400		1792.00	1945.00	2166.00	2213.00	2858.00
500		2287.00	2371.00	2721.00	2721.00	3368.00
630		2762.00	2837.00	3215.00	3215.00	3916.00
800		3434.00	3481.00	3849.00	3849.00	4635.00
1000		4061.00	4460.00	4772.00	4772.00	5671.00

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	11.5%
2) FRLS PVC Outer Sheath	7.5%
3) Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## PRICE LIST MARCH 2022

W.E.F : 08.03.2022

**"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3kA FOR 1 SEC ) , EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.**

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWαY					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)
240		1350.00	1484.00	1685.00	1726.00	2220.00
300		1555.00	1712.00	1919.00	1964.00	2625.00
400		1888.00	2046.00	2278.00	2328.00	3003.00
500		2409.00	2491.00	2860.00	2860.00	3548.00
630		2910.00	2985.00	3379.00	3379.00	4121.00
800		3611.00	3765.00	4054.00	4054.00	4877.00
1000		4276.00	4699.00	5018.00	5018.00	5946.00

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	11.5%
2) FRLS PVC Outer Sheath	7.5%
3) Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## PRICE LIST MARCH 2022

W.E.F : 08.03.2022

**"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3ka FOR 1 SEC ), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.**

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			1279.00			
50			1466.00			
70		1637.00	1744.00			
95		1909.00	2087.00	2786.00	2920.00	3861.00
120		2251.00	2409.00	3202.00	3304.00	4238.00
150		2561.00	2700.00	3528.00	3693.00	4681.00
185		2971.00	3154.00	4004.00	4164.00	5185.00
240		3615.00	3796.00	4716.00	4887.00	5910.00
300		4327.00	4501.00	5451.00	5619.00	6674.00
400		5376.00	5498.00	6458.00	6739.00	7766.00

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	4.5%
2) Pressure Extruded PVC Innersheath	19.5%
3) Round Wire Armouring - Up to 11 KV (E)	30.0%
11 KV (UE) & Above	33.0%
4) FRLS PVC Inner Sheath	7.5%
5) FRLS PVC Outer Sheath	7.5%
6) FR Sheath with Oxygen Index	4.5%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.


**PRICE LIST : 8<sup>th</sup> MARCH 2022**
**LP NO. KEI/W&F/LP/21-22/08 DT.08.03.2022**
**INDUSTRIAL MULTI STRAND CABLES**
**HSN CODE : 85.44.60.20**
**KEI HOMECAB - FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES - FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	1050	28	2100	12	11.67
0.75	24/0.20	7	1410	28	2820	12	15.67
1.00	32/0.20	11	1850	24	3700	12	20.56
1.50	30/0.25	14	2710	16	5420	8	30.11
2.50	50/0.25	19	4350	12	8700	6	48.33
4.00	56/0.30	26	6430	8	12860	4	71.44
6.00	84/0.30	31	9750	6	19500	3	108.33
10.00	80/0.40	42	17370	1			193.00
16.00	126/0.40	57	27060	1			300.67

**KEI CONFLAME - FRLSH PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FLAME RETARDANT LOW SMOKE (FRLSH) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.50	16/0.20	4	1140	28	2280	12	12.67
0.75	24/0.20	7	1450	28	2900	12	16.11
1.00	32/0.20	11	1940	24	3880	12	21.56
1.50	30/0.25	14	2830	16	5660	8	31.44
2.50	50/0.25	19	4560	12	9120	6	50.67
4.00	56/0.30	26	6740	8	13480	4	74.89
6.00	84/0.30	31	10200	6	20400	3	113.33
10.00	80/0.40	42	18180	1			202.00
16.00	126/0.40	57	28400	1			315.56

**KEI BANFIRE - SINGLE CORE, UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - ZERO HALOGEN FLAME RETARDANT (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.**

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	RATE PER 90M COIL	STANDARD PACKING FOR 90MTR.	RATE PER 180M COIL	STANDARD PACKING FOR 180MTR.	RATE PER MTR
0.75	24/0.20	7	1530	28	3060	12	17.00
1.00	32/0.20	11	2070	24	4140	12	23.00
1.50	30/0.25	14	2970	16	5940	8	33.00
2.50	50/0.25	19	4710	12	9420	6	52.33
4.00	56/0.30	26	6840	8	13680	4	76.00
6.00	84/0.30	31	10340	6	20680	3	114.89
10.00	80/0.40	42	18600	1			206.67
16.00	126/0.40	57	28900	1			321.11

**Notes:**

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.
- Standard colours in Building wires are RED / BLACK / BLUE / YELLOW / GREEN.
- FR / FRLSH & ZHFR wires are supplied in standard lengths of 90M Coils & 180M Coils packed in Master Cartons.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>th</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
spa.mumbai@kei-ind.com



PRICE LIST : 8<sup>th</sup> MARCH 2022

LP NO. KEI/W&F/LP/21-22/08 DT.08.03.2022

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE & MULTI CORE CABLES

HSN CODE : 85.44.60.20

**KEI FLEXIBLE FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	STD. PACK OF 100 MTR COIL	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH	SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	SINGLE CORE FR	SINGLE CORE HRFR 105 Deg	SINGLE CORE FRLSH
0.5	16/0.20	4	24	1160	1250	1260	35	276/0.4	110	66450	68660	69680
0.75	24/0.20	7	24	1565	1600	1610	50	396/0.4	145	96670	98090	98920
1.0	32/0.20	12	20	2055	2140	2155	70	354/0.5	200	135470	137430	138460
1.5	30/0.25	16	16	3010	3140	3145	95	484/0.5	235	178430	182050	183400
2.5	50/0.25	22	12	4835	5050	5065	120	608/0.5	270	228180	232210	235250
4.0	56/0.30	29	8	7145	7440	7490	150	750/0.5	310	285940	291080	293260
6	84/0.30	37	4	10835	11280	11335	185	925/0.5	360	346550	353410	356360
10	80/0.40	51	1	19300	20010	20200	240	1210/0.5	425	457460	466060	470680
16	126/0.40	68	1	30070	31530	31560	300	1527/0.5	490	570150	580460	586640
25	196/0.40	86	1	47570	49180	49890	400	2036/0.5	590	754770	757090	763980

**KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/0.20	3540	4680	5820	7910	9160	9990	15510	17910	20420	23310	26920	34440
0.75	24/0.20	4810	6140	7910	10910	12440	13740	20890	24270	28030	31930	37080	47370
1.0	32/0.20	5360	7310	9610	12700	15090	16930	25660	29660	34280	39110	45320	57780
1.5	30/0.25	7310	10210	13190	17740	20780	23290	34630	40750	47190	53890	62610	80130
2.5	50/0.25	11860	16430	21530	28130	33250	37130	54850	64930	75940	86230	100950	128890
4.0	56/0.3	18480	26730	34390	46150	52880	61260	90150	106880	123970	141050	165650	212880
6	84/0.3	27230	38720	51630	66470								
10	80/0.4	45540	65350	86240	112540								
16	126/0.4	70130	100470	132610									
25	196/0.4		161700	212250									
35	276/0.4		224850	293220									
50	396/0.4		322000	420930									
70	354/0.5		444330	584660									
95	484/0.5		0	773580									
120	608/0.5												

Note :

**KEI 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS**

(Rate in Rs. Per 100 Mtrs)

SQ. MM	COND. CONST. (NO./DIA.MM)	RATE
1.5	30/0.25	10500
2.5	50/0.25	16240
4	56/0.3	24490
6	84/0.3	36640
10	80/0.4	60520
16	126/0.4	95640
25	196/0.4	143750

- FRLS Loading - 3% Extra for Multi Core Flexible Cables.**
- KEI 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.
- Packing for 3 Core Flat Submersible Cables :**
  - Cables upto 4sqmm are supplied in 500Mtr/1000Mtr drums.
  - Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
  - Cables of 1.5sqmm, 2.5sqmm & 4sqmm are also supplied in 300Mtr coil.
- Packing for Single & Multi Core Round Wire Flexible cables :**
  - Single Core Flexible cables upto 6sqmm are supplied in Master Carton as shown above.
  - Single Core 10sqmm and above will be supplied in single coil packing.
  - Single Core 120sqmm and above & Multicore 6sqmm & above available in coil packing.

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : manoj.kakkar@kei-ind.com



## PRICE LIST : OCTOBER-2021

PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

W.E.F : 16.10.2021

### RATE (Rs.) PER MTR

SIZE (AREA SQ.MM)	STANDARD PACKING MTRS.	"KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618.			"KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables.	
		Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air	TUV 2 Pfg 1169/08.2007 PV1-F	EN/BSEN 50618 H1Z2Z2-K	Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air	XLPE/PVC 2XY
1.50	1000	30	39.60	45.80	25	37.70
2.50	1000	41	59.60	66.70	35	56.90
4	1000	55	81.70	89.50	45	78.60
6	1000	70	120.80	129.50	58	116.20
10	1000	98	196.80	206.40	80	189.00
16	1000	132	307.80	322.70	106	296.50
25	1000	176	----	527.50	135	489.60
35	1000	218	----	727.70	173	679.70
50	1000	276	----	1031.70	226	966.90
70	1000	347	----	1419.20	336	1343.50
95	1000	416	----	1906.00	406	1816.70
120	1000	488	----	2395.40	476	2290.80
150	500	566	----	2991.90	555	2860.30
185	500	644	----	3697.10	649	3528.20
240	500	775	----	4773.80	781	4568.30

#### Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. **HSN - 85446090**
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 100 Mtrs / 250 Mtrs in Coils & 1000 Mtrs in spool.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

KEI WIRES & CABLES





## INSTRUMENTATION CABLES PRICE LIST DECEMBER-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al Mylar/Drain Wire, PVC Inner Sheathed GI Round/Strip Armoured & Outer Sheathed Instrumentation Cable.

### OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
CORE	2	0.5	112	0.75	130	1	146	1.5	174	2.5	239
CORE	3	0.5	134	0.75	162	1	184	1.5	227	2.5	315
CORE	4	0.5	151	0.75	181	1	213	1.5	266	2.5	384
CORE	5	0.5	168	0.75	208	1	245	1.5	312	2.5	454
CORE	6	0.5	190	0.75	239	1	287	1.5	367	2.5	552
CORE	7	0.5	205	0.75	262	1	315	1.5	411	2.5	615
CORE	8	0.5	231	0.75	295	1	356	1.5	469	2.5	699
CORE	10	0.5	266	0.75	348	1	427	1.5	564	2.5	857
CORE	12	0.5	301	0.75	398	1	487	1.5	655	2.5	977
CORE	14	0.5	343	0.75	443	1	553	1.5	763	2.5	1144
CORE	16	0.5	378	0.75	498	1	619	1.5	844	2.5	1290
CORE	19	0.5	424	0.75	563	1	714	1.5	965	2.5	1514
CORE	24	0.5	513	0.75	707	1	868	1.5	1195	2.5	1902
PAIR	1	0.5	112	0.75	130	1	146	1.5	174	2.5	239
PAIR	2	0.5	164	0.75	198	1	228	1.5	282	2.5	406
PAIR	3	0.5	198	0.75	247	1	295	1.5	376	2.5	561
PAIR	4	0.5	236	0.75	300	1	362	1.5	474	2.5	711
PAIR	5	0.5	273	0.75	354	1	431	1.5	573	2.5	870
PAIR	6	0.5	314	0.75	411	1	501	1.5	669	2.5	1016
PAIR	7	0.5	346	0.75	450	1	562	1.5	771	2.5	1157
PAIR	8	0.5	388	0.75	514	1	636	1.5	855	2.5	1311
PAIR	10	0.5	464	0.75	611	1	766	1.5	1042	2.5	1601
PAIR	12	0.5	525	0.75	714	1	902	1.5	1221	2.5	1908
PAIR	14	0.5	578	0.75	801	1	1012	1.5	1412	2.5	2172
PAIR	16	0.5	659	0.75	883	1	1143	1.5	1575	2.5	2468
PAIR	19	0.5	750	0.75	1044	1	1331	1.5	1842	2.5	2892
PAIR	24	0.5	937	0.75	1310	1	1658	1.5	2316	2.5	3634
TRIAD	1	0.5	136	0.75	164	1	186	1.5	230	2.5	317
TRIAD	2	0.5	227	0.75	281	1	312	1.5	404	2.5	583
TRIAD	3	0.5	281	0.75	355	1	406	1.5	532	2.5	788
TRIAD	4	0.5	338	0.75	435	1	507	1.5	669	2.5	992
TRIAD	5	0.5	389	0.75	516	1	601	1.5	810	2.5	1207
TRIAD	6	0.5	448	0.75	598	1	704	1.5	936	2.5	1418
TRIAD	7	0.5	495	0.75	662	1	787	1.5	1055	2.5	1614
TRIAD	8	0.5	557	0.75	728	1	881	1.5	1196	2.5	1842
TRIAD	10	0.5	661	0.75	902	1	1070	1.5	1473	2.5	2271
TRIAD	12	0.5	752	0.75	1037	1	1254	1.5	1720	2.5	2689
TRIAD	14	0.5	855	0.75	1185	1	1434	1.5	1976	2.5	3096
TRIAD	16	0.5	948	0.75	1321	1	1611	1.5	2239	2.5	3510
TRIAD	19	0.5	1094	0.75	1534	1	1876	1.5	2615	2.5	4116
TRIAD	24	0.5	1355	0.75	1920	1	2347	1.5	3294	2.5	5180

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## INSTRUMENTATION CABLES PRICE LIST DECEMBER-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Mylar/Drain Wire Unrmoured PVC Outer Sheathed Instrumentation Cable.

### OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	1	0.5	70	0.75	85	1	101	1.5	120	2.5	166
PAIR	2	0.5	111	0.75	138	1	166	1.5	233	2.5	317
PAIR	3	0.5	145	0.75	185	1	233	1.5	302	2.5	452
PAIR	4	0.5	166	0.75	233	1	302	1.5	385	2.5	587
PAIR	5	0.5	218	0.75	287	1	421	1.5	468	2.5	723
PAIR	6	0.5	249	0.75	317	1	452	1.5	571	2.5	852
PAIR	7	0.5	270	0.75	366	1	468	1.5	635	2.5	988
PAIR	8	0.5	302	0.75	404	1	552	1.5	723	2.5	1124
PAIR	10	0.5	366	0.75	521	1	670	1.5	906	2.5	1404
PAIR	12	0.5	439	0.75	599	1	789	1.5	1073	2.5	1654
PAIR	14	0.5	485	0.75	690	1	906	1.5	1222	2.5	1906
PAIR	16	0.5	571	0.75	769	1	1038	1.5	1404	2.5	2176
PAIR	19	0.5	653	0.75	918	1	1205	1.5	1639	2.5	2558
PAIR	24	0.5	805	0.75	1138	1	1503	1.5	2060	2.5	3244
TRIAID	1	0.5	93	0.75	105	1	133	1.5	164	2.5	239
TRIAID	2	0.5	154	0.75	189	1	234	1.5	303	2.5	449
TRIAID	3	0.5	206	0.75	251	1	319	1.5	421	2.5	636
TRIAID	4	0.5	254	0.75	316	1	409	1.5	538	2.5	831
TRIAID	5	0.5	305	0.75	383	1	501	1.5	663	2.5	1032
TRIAID	6	0.5	357	0.75	452	1	589	1.5	789	2.5	1223
TRIAID	7	0.5	404	0.75	511	1	671	1.5	902	2.5	1407
TRIAID	8	0.5	458	0.75	585	1	765	1.5	1038	2.5	1605
TRIAID	10	0.5	560	0.75	720	1	956	1.5	1286	2.5	1995
TRIAID	12	0.5	653	0.75	852	1	1125	1.5	1518	2.5	2366
TRIAID	14	0.5	746	0.75	981	1	1296	1.5	1752	2.5	2739
TRIAID	16	0.5	854	0.75	1110	1	1472	1.5	1995	2.5	3130
TRIAID	19	0.5	997	0.75	1298	1	1726	1.5	2341	2.5	3691
TRIAID	24	0.5	1246	0.75	1630	1	2166	1.5	2966	2.5	4648

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## INSTRUMENTATION CABLES PRICE LIST DECEMBER-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire PVC Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

### INDIVIDUAL & OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr
PAIR	2	0.5	225	0.75	251	1	285	1.5	348	2.5	481
PAIR	3	0.5	289	0.75	322	1	377	1.5	464	2.5	654
PAIR	4	0.5	345	0.75	393	1	460	1.5	581	2.5	808
PAIR	5	0.5	403	0.75	463	1	549	1.5	674	2.5	975
PAIR	6	0.5	446	0.75	538	1	616	1.5	791	2.5	1136
PAIR	7	0.5	508	0.75	595	1	708	1.5	896	2.5	1292
PAIR	8	0.5	578	0.75	657	1	793	1.5	1015	2.5	1473
PAIR	10	0.5	682	0.75	803	1	966	1.5	1241	2.5	1808
PAIR	12	0.5	762	0.75	933	1	1115	1.5	1463	2.5	2068
PAIR	14	0.5	882	0.75	1050	1	1280	1.5	1654	2.5	2446
PAIR	16	0.5	992	0.75	1181	1	1437	1.5	1866	2.5	2768
PAIR	19	0.5	1133	0.75	1358	1	1661	1.5	2178	2.5	3235
PAIR	24	0.5	1411	0.75	1706	1	2087	1.5	2748	2.5	4069
TRIAID	2	0.5	276	0.75	319	1	360	1.5	449	2.5	619
TRIAID	3	0.5	345	0.75	408	1	471	1.5	597	2.5	847
TRIAID	4	0.5	421	0.75	505	1	585	1.5	733	2.5	1075
TRIAID	5	0.5	493	0.75	598	1	701	1.5	895	2.5	1320
TRIAID	6	0.5	571	0.75	682	1	806	1.5	1048	2.5	1549
TRIAID	7	0.5	631	0.75	761	1	903	1.5	1187	2.5	1760
TRIAID	8	0.5	705	0.75	874	1	1026	1.5	1355	2.5	2008
TRIAID	10	0.5	849	0.75	1057	1	1257	1.5	1662	2.5	2495
TRIAID	12	0.5	982	0.75	1228	1	1469	1.5	1941	2.5	2924
TRIAID	14	0.5	1106	0.75	1395	1	1686	1.5	2240	2.5	3369
TRIAID	16	0.5	1243	0.75	1573	1	1892	1.5	2534	2.5	3822
TRIAID	19	0.5	1441	0.75	1828	1	2219	1.5	2980	2.5	4479
TRIAID	24	0.5	1808	0.75	2300	1	2799	1.5	3723	2.5	5669

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## INSTRUMENTATION CABLES PRICE LIST DECEMBER-2021

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Unarmoured PVC Outer Sheathed Instrumentation Cable.

### INDIVIDUAL & OVERALL SHIELDED - UNARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr	Size	Rate / Mtr
PAIR	2	0.5	145	0.75	166	1	204	1.5	249	2.5	352
PAIR	3	0.5	185	0.75	233	1	287	1.5	352	2.5	504
PAIR	4	0.5	233	0.75	287	1	352	1.5	452	2.5	653
PAIR	5	0.5	287	0.75	352	1	439	1.5	552	2.5	805
PAIR	6	0.5	336	0.75	421	1	521	1.5	653	2.5	956
PAIR	7	0.5	385	0.75	468	1	587	1.5	736	2.5	1089
PAIR	8	0.5	439	0.75	535	1	670	1.5	852	2.5	1255
PAIR	10	0.5	535	0.75	670	1	836	1.5	1055	2.5	1538
PAIR	12	0.5	622	0.75	789	1	972	1.5	1234	2.5	1840
PAIR	14	0.5	736	0.75	906	1	1138	1.5	1438	2.5	2124
PAIR	16	0.5	822	0.75	1022	1	1275	1.5	1639	2.5	2425
PAIR	19	0.5	956	0.75	1205	1	1503	1.5	1924	2.5	2862
PAIR	24	0.5	1205	0.75	1503	1	1891	1.5	2425	2.5	3599
TRIAD	2	0.5	198	0.75	224	1	273	1.5	343	2.5	495
TRIAD	3	0.5	264	0.75	305	1	377	1.5	476	2.5	700
TRIAD	4	0.5	334	0.75	391	1	485	1.5	620	2.5	918
TRIAD	5	0.5	404	0.75	473	1	589	1.5	755	2.5	1129
TRIAD	6	0.5	469	0.75	558	1	698	1.5	908	2.5	1341
TRIAD	7	0.5	532	0.75	635	1	799	1.5	1038	2.5	1541
TRIAD	8	0.5	605	0.75	734	1	918	1.5	1184	2.5	1760
TRIAD	10	0.5	755	0.75	904	1	1133	1.5	1466	2.5	2200
TRIAD	12	0.5	887	0.75	1061	1	1336	1.5	1730	2.5	2611
TRIAD	14	0.5	1017	0.75	1222	1	1541	1.5	2001	2.5	3023
TRIAD	16	0.5	1145	0.75	1385	1	1750	1.5	2274	2.5	3435
TRIAD	19	0.5	1341	0.75	1623	1	2056	1.5	2692	2.5	4022
TRIAD	24	0.5	1681	0.75	2052	1	2601	1.5	3385	2.5	5093

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



## KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 022 2825 8277  
E-mail : uday.sawant@kei-ind.com / swapnil.kanekar@kei-ind.com



### CO-AXIAL & COMMUNICATION CABLES

PRICE LIST : 21st OCTOBER 2021

LP NO. KEI/COMM/LP/21-22/05 DT. 21.10.2021

#### KEI INDUSTRIAL JELLY FILLED CO AXIAL CABLES

KEI, Solid high conductivity copper, Polyethylene Foam insulation with laminated aluminum tape and Aluminium wire braid, Jelly filled Black PVC oversheathed Co Axial Cables.

SIZE	100 Mtr. Packing	305 Mtr. Packing
RG-59	3000	9150
RG-6 CU	3165	9653
RG-6 CCS	2050	6253
RG-11 CU	7400	22570
RG-11 CCS	4400	13420

#### KEI LAN (COMPUTER) & CCTV (4+1) CABLES

KEI 4 pair Unshielded Twisted Pair (UTP) LAN Cables

SIZE	100 Mtr. Packing	305 Mtr. Packing
CAT 6	-	14800
CCTV (4+1)	5433	-

#### KEI TELEPHONE CABLES

KEI Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyster and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specification.

No. of Pairs	Size - mm	100 Mtr. Packing	Size - mm	100 Mtr. Packing
1 Pair	0.40	965	0.50	1330
2 Pair	0.40	1505	0.50	2230
3 Pair	0.40	2180	0.50	3350
4 Pair	0.40	2760	0.50	4430
5 Pair	0.40	3580	0.50	5270
10 Pair	0.40	7255	0.50	10800

#### Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per W&F Policy.
- Please refer to our Marketing Department for Communication Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.