

**KEI**  
Wires and Cables  
The power behind the power™

Stay powered with  
the specialist.  
KEI, wires and cables  
specialist.



## ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310

Mob:- 8860611928, 9212692105, Email:- ng@anupamelectricalcontrols.com,

WebS :- www.anupamelectricalcontrols.com, GSTIN :- 09AAKPG3514B1Z6

"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)

### AEC "DISCOUNTED" PRICE LIST : 11 MAY 2022

#### ALUMINIUM UN-ARMOURED/ARMOURED

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

Discount Rate(%) is **NEGOTIABLE** based upon **ORDER QUANTITIES**, So Please Contact Us

**(RATE IN Rs. Per Metre) After 60% DISCOUNT (Negotiable to more) ON LATEST KEI PRICE LIST 11-MAY-2022**

Cable Size in Sq.mm	UN-ARMOURED					ARMOURED				
	Core-1	Core-2	Core-3	Core-3.5	Core-4	Core-1	Core-2	Core-3	Core-3.5	Core-4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWay A2XFay	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
6		45	58		68		74	85		98
10		64	78		86		89	106		115
16		70	87		109		101	110		136
25	50	90	124	156	164	76	114	144	166	178
35	61	124	170	187	208	90	141	187	206	233
50	79	151	213	250	278	110	174	245	272	310
70	104	208	300	344	395	140	234	323	366	416
95	137	258	375	429	471	156	299	407	457	510
120	164	315	459	550	564	188	357	484	569	628
150	198	376	563	648	711	222	430	598	662	760
185	242	454	690	817	875	271	520	734	838	955
240	286	603	884	987	1139	344	675	927	1067	1196
300	357	736	1095	1255	1364	424	822	1159	1298	1484
400	448	919	1356	1595	1847	534	1012	1483	1670	1925
500	586					653				
630	736					804				
800	935					1001				
1000	1202					1265				

# ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310

Mob:- 8860611928, 9212692105, Email:- ng@anupamelectricalcontrols.com,

WebS :- www.anupamelectricalcontrols.com, GSTIN :- 09AAKPG3514B1Z6

**"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)**

**AEC "DISCOUNTED" PRICE LIST : 11 MAY 2022**

## COPPER (CU) UNARMOURED/ARMOURED

"KEI" BRAND Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

Discount Rate(%) is **NEGOTIABLE** based upon **ORDER QUANTITIES**, So Please Contact Us

**(RATE IN Rs. Per Metre) After 58%(Negotiable) DISCOUNT ON LATEST KEI PRICE LIST 11-MAY-2022**

Cable Size in Sq.mm	UN ARMOURED					ARMOURED				
	Core-1	Core-2	Core-3	Core-3.5	Core-4	Core-1	Core-2	Core-3	Core-3.5	Core-4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		98	137		172		116	152		197
6		140	197		250		158	213		287
10		242	332		391		251	343		432
16	176	300	471		591	211	328	491		633
25	278	527	762	840	974	319	545	806	957	1037
35	377	719	1019	1201	1416	430	757	1089	1273	1492
50	540	986	1404	1705	1851	604	1025	1492	1780	1980
70	752	1309	2032	2406	2792	835	1417	2140	2502	2918
95	1024	1820	2960	3508	3881	1073	1929	3022	3525	4018
120	1281	2227	3516	4378	4758	1331	2300	3761	4449	4977
150	1575	2787	4246	5224	6190	1630	2880	4436	5415	6321
185	1952	3438	5460	6465	7740	1994	3565	5796	6840	7781
240	2515	4401	7299	8565	10022	2543	4593	7589	8865	10121
300	3163	5484	9006	10529	12061	3211	5817	9517	11080	12672
400	4158	7320	11804	13627	16175	4308	7913	12853	14824	17269
500	5293					5328				
630	6663					6699				
800	8439					8479				
1000	10551					10658				

**CONTROL CABLES (Rate in Rs. Per Metre After 58%(Negotiable) discount on KEI Prices) 11-MAY-2022**

Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XWY/2XFY		Number of Cores	UN ARMOURED 2XY		ARMOURED - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	48	69	65		89	12	194	324
3	61	92	80	110	14	215	384	260	404
4	78	120	97	137	16	256	437	289	455
5	97	148	118	165	19	303	503	339	522
6	109	168	132	196	24	384	636	424	654
7	125	201	147	221	27	423	704	470	731
8	150	231	170	254	30	496	761	517	821
10	186	263	205	290	37	597	941	630	1005



KEI WIRES AND CABLES



ANUPAM ELECTRICAL CONTROLS



# ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310

Mob:- 8860611928/9212692105, Email:- ng@anupamelectricalcontrols.com,

WebS :- [www.anupamelectricalcontrols.com](http://www.anupamelectricalcontrols.com), GSTIN :- 09AAKPG3514B1Z6

**"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)**

## AEC "DISCOUNTED" PRICE LIST : 11 MAY 2022

### KEI 3 CORE HT XLPE

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI-CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE ( 0.3ka FOR 1 SEC ), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

Cable Size in sq.mm	3 CORE HT XLPE (After 60%(Negotiable) Discount <b>ON LATEST KEI PRICE LIST 11-MAY-2022</b> )					
	A2XCEFY (Rate In Rs. Per m)					
	3.3 KV E	6.6 KV ( E ) / 3.3 KV ( UE )	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
35			461			
50			528			
70		590	628			
95		688	752	1004	1052	1391
120		811	868	1154	1191	1527
150		923	973	1271	1331	1687
185		1071	1136	1443	1500	1868
240		1303	1368	1700	1761	2130
300		1559	1622	1964	2025	2405
400		1937	1981	2327	2428	2798

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E) / 11 KV (UE) & Above	25% / 27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

### KEI WIRES & CABLES (At Discounts Offered by AEC)



# ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310.

Mob:- 8860611928, 9212692105, Email:- ng@anupamelectricalcontrols.com,

WebS :- www.anupamelectricalcontrols.com, GSTIN :- 09AAKPG3514B1Z6

**"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)**

## AEC "DISCOUNTED" PRICE LIST : 21 MAY 2022

### PVC Insulated Industrial Flexible Single core & Multi Core Wires

KEI FLEXIBLE FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

**Discount Rate(%) is NEGOTIABLE TO MORE based upon ORDER QUANTITIES, So Please Contact Us**

Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)		Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)
0.75	24/0.20	2680	1286	7.14		2.5	50/0.25	8280	3974	22.08
1	32/0.20	3520	1690	9.38		4	56/0.30	12240	5875	32.64
1.5	30/0.25	5160	2477	13.76		6	84/0.30	18560	8909	49.5
Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 100 M COIL (Rs.)	AEC Rate per 100 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)		Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 100 M COIL (Rs.)	AEC Rate per 100 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)
10	80/0.40	18370	8818	88.18		95	484/0.50	169830	81518	815.18
16	126/0.40	28610	13733	137.33		120	608/0.50	217190	104251	1042.51
25	196/0.40	45270	21730	217.3		150	750/0.50	272170	130642	1306.42
35	276/0.40	63250	30360	303.6		185	925/0.50	329860	158333	1583.33
50	396/0.40	92010	44165	441.65		240	1210/0.50	435430	209006	2090.06
70	354/0.50	128940	61891	618.91		300	1527/0.50	542690	260491	2604.91
						400	2036/0.50	718420	344842	3448.42

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

### Rate in Rs. Per 100 metres (After 52% DISCOUNT (Negotiable) ON LATEST KEI PRICE LIST 21 MAY 2022)

SQ.MM	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	1618	2136	2659	3614	4186	4565	7085	8184	9331	10651	12302	15734
0.75	2198	2803	3614	4982	5683	6278	9542	11088	12806	14587	16939	21643
1	2448	3341	4392	5803	6893	7738	11722	13555	15662	17870	20707	26400
1.5	3341	4666	6029	8102	9490	10642	15821	18614	21562	24619	28608	36610
2.5	5414	7507	9835	12850	15192	16963	25061	29664	34694	39398	46123	58891
4	8443	12211	15715	21086	24158	27989	41184	48835	56640	64440	75686	97262
6	12442	17688	23592	30365	<b>KEI 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS</b>							
10	20803	29861	39403	51418	Sq.MM	COND. CONST. (NO./DIA.MM)	RATE					
16	32040	45902	60590		1.5	30/0.25	4795					
25		73877	96974		2.5	50/0.25	7421					
35		102730	133968		4	56/0.30	11030					
50		147115	192317		6	84/0.30	16426					
70		203006	267120		10	80/0.4	27653					
95			353434		16	126/0.4	43694					
120					25	196/0.4	65674					



**KEI WIRES AND CABLES**



**ANUPAM ELECTRICAL CONTROLS**



# ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310

**"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)**

**AEC "DISCOUNTED" PRICE LIST : 21 MAY 2022**

## INDUSTRIAL MULTI STRAND WIRES [ KEI FRLSH & ZHFR QUALITIES ]

Discount Rate (%) is **NEGOTIABLE** based upon **ORDERED QUANTITIES**, So Please Contact Us

**KEI CONFLAME** - FRLSH PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FLAME RETARDANT LOW SMOKE (FRLSH) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)	Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)
0.75	24/0.20	2760	1325	7.36	2.5	50/0.25	8680	4166	23.14
1	32/0.20	3680	1766	9.81	4	56/0.30	12820	6154	34.19
1.5	30/0.25	5400	2592	14.4	6	84/0.30	19420	9322	51.79

Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 100 M COIL (Rs.)	AEC Rate per 100 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)	Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 100 M COIL (Rs.)	AEC Rate per 100 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)
10	80/0.40	19220	9226	92.26	95	484/0.50	174570	83794	837.94
16	126/0.40	30030	14414	144.14	120	608/0.50	223920	107482	1074.82
25	196/0.40	47490	22795	227.95	150	750/0.50	279140	133987	1339.87
35	276/0.40	66320	31834	318.34	185	925/0.50	339200	162816	1628.16
50	396/0.40	94160	45197	451.97	240	1210/0.50	448010	215045	2150.45
70	354/0.50	131790	63259	632.59	300	1527/0.50	558380	268022	2680.22
					400	2036/0.50	727190	349051	3490.51

**KEI BANFIRE** - SINGLE CORE, UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH ZERO HALOGEN FLAME RETARDANT (ZHFR) PROPERTIES, WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)	Conductor (Area Sq.mm)	No. & Size of wire in mm	KEI RATE PER 180 M COIL (Rs.)	AEC Rate per 180 m coil (Rs.)(Discount 52%)	RATE PER METRE (After 52% discount)
0.75	16/0.20	2920	1402	16.22	4	56/0.30	13020	6250	34.72
1	32/0.20	3940	1891	10.5	6	84/0.30	19680	9446	52.47
1.5	30/0.25	5640	2707	15.04	10	80/0.40	35420	17002	94.45
2.5	50/0.25	8960	4301	23.89	16	126/0.40	55020	26410	146.72



# ANUPAM ELECTRICAL CONTROLS

Office & Works :- K-370, Site -5, Kasna Industrial Area, UPSIDA Gr. Noida. 201310

Mob:- 8860611928, 9212692105, Email:- ng@anupamelectricalcontrols.com,

WebS :- www.anupamelectricalcontrols.com, GSTIN :- 09AAKPG3514B1Z6

**"KEI BRAND" WIRES & CABLES DISTRIBUTORS IN Greater Noida (DELHI-NCR)**

**AEC "DISCOUNTED" PRICE LIST : 21 MAY 2022**

**PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY**

**RATE (Rs.) PER MTR After 49%(Negotiable) Discount on KEI Price List**

SIZE (AREA SQ.MM)	Standard PACKING MTRS.	"KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618.			"KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables.	
		Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air	TUV 2 Pfg 1169/08.2007 PV1-F Rate(Rs.) Per m	EN/BSEN 50618 H1Z2Z2-K Rate(Rs.) Per m	Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air	XLPE/PVC 2XY Rate(Rs.) Per m
1.5	1000	30	20	23	25	19
2.5	1000	41	30	34	35	29
4	1000	55	42	46	45	41
6	1000	70	62	67	58	60
10	1000	98	102	108	80	99
16	1000	132	160	169	106	156
25	1000	176		277	135	257
35	1000	218		382	173	357
50	1000	276		542	226	508
70	1000	347		745	336	705
95	1000	416		1001	406	954
120	1000	488		1258	476	1203
150	500	566		1571	555	1502
185	500	644		1941	649	1852
240	500	775		2506	781	2398

**Notes:**

- \* GST and any other tax/levy will be charged extra, at actuals. HSN - 85446090
- \* Technical data sheets are available on request.
- \* Minimum Ordered quantity shall be - up to 35 sqmm. 2kms & all above 1 km against each size and colour.
- \* Packing lengths - 100 Mtrs / 250 Mtrs in coils & 1000 Mtrs in spool.
- \* Freight as per W&F policy and for North east freight will be extra.
- \* This price list is subject to change without any prior notice.

**KEI WIRES AND CABLES**