



Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East, Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com



PRICE LIST MAY 2022

CU UNARMoured / ARMoured

W.E.F : 11.05.2022

"KEI" BRAND Power/Control Copper Cables,Solid Copper conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,Unarmoured/Armour(Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm,2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | UN ARMoured | | | | | ARMoured | | | | |
|---------------------|-------------|----------|----------|------------|----------|---------------|--------------|--------------|------------|--------------|
| | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 | Core - 1 | Core - 2 | Core - 3 | Core - 3.5 | Core - 4 |
| | 2XY | 2XY | 2XY | 2XY | 2XY | 2XaY 2XFaY | 2XWY 2XFY | 2XWY 2XFY | 2XFY | 2XWY 2XFY |
| 4 | | 234.00 | 326.00 | | 409.00 | | 275.00 | 362.00 | | 469.00 |
| 6 | | 333.00 | 468.00 | | 596.00 | | 377.00 | 506.00 | | 683.00 |
| 10 | | 576.00 | 790.00 | | 932.00 | | 598.00 | 817.00 | | 1029.00 |
| 16 | 420.00 | 714.00 | 1122.00 | | 1406.00 | 502.00 | 780.00 | 1170.00 | | 1507.00 |
| 25 | 663.00 | 1255.00 | 1815.00 | 2000.00 | 2319.00 | 760.00 | 1297.00 | 1920.00 | 2278.00 | 2469.00 |
| 35 | 898.00 | 1713.00 | 2425.00 | 2859.00 | 3371.00 | 1023.00 | 1802.00 | 2593.00 | 3032.00 | 3553.00 |
| 50 | 1286.00 | 2348.00 | 3342.00 | 4059.00 | 4406.00 | 1437.00 | 2440.00 | 3553.00 | 4238.00 | 4714.00 |
| 70 | 1790.00 | 3117.00 | 4837.00 | 5729.00 | 6648.00 | 1988.00 | 3373.00 | 5096.00 | 5956.00 | 6948.00 |
| 95 | 2438.00 | 4334.00 | 7047.00 | 8352.00 | 9241.00 | 2554.00 | 4593.00 | 7196.00 | 8392.00 | 9567.00 |
| 120 | 3050.00 | 5302.00 | 8371.00 | 10424.00 | 11329.00 | 3168.00 | 5476.00 | 8954.00 | 10593.00 | 11850.00 |
| 150 | 3751.00 | 6636.00 | 10109.00 | 12438.00 | 14738.00 | 3882.00 | 6857.00 | 10561.00 | 12893.00 | 15049.00 |
| 185 | 4648.00 | 8185.00 | 13000.00 | 15392.00 | 18429.00 | 4748.00 | 8488.00 | 13799.00 | 16286.00 | 18527.00 |
| 240 | 5987.00 | 10479.00 | 17378.00 | 20394.00 | 23862.00 | 6054.00 | 10935.00 | 18070.00 | 21106.00 | 24097.00 |
| 300 | 7530.00 | 13057.00 | 21442.00 | 25069.00 | 28716.00 | 7646.00 | 13849.00 | 22659.00 | 26381.00 | 30171.00 |
| 400 | 9900.00 | 17429.00 | 28105.00 | 32446.00 | 38511.00 | 10258.00 | 18840.00 | 30602.00 | 35296.00 | 41117.00 |
| 500 | 12602.00 | | | | | 12686.00 | | | | |
| 630 | 15864.00 | | | | | 15949.00 | | | | |
| 800 | 20094.00 | | | | | 20187.00 | | | | |
| 1000 | 25121.00 | | | | | 25375.00 | | | | |

CONTROL CABLES

(Rate in Rs. Per Metre)

| Number of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | | No. of Cores | UN ARMoured 2XY | | ARMoured - 2XWY/2XFY | |
|-----------------|-----------------|--------|----------------------|--------|--------------|-----------------|---------|----------------------|---------|
| | 1.5 | 2.5 | 1.5 | 2.5 | | 1.5 | 2.5 | 1.5 | 2.5 |
| | 2 | 114.00 | 164.00 | 155.00 | | 212.00 | 12 | 461.00 | 772.00 |
| 3 | 146.00 | 219.00 | 191.00 | 262.00 | 14 | 513.00 | 914.00 | 620.00 | 961.00 |
| 4 | 186.00 | 286.00 | 232.00 | 327.00 | 16 | 610.00 | 1040.00 | 688.00 | 1084.00 |
| 5 | 231.00 | 353.00 | 282.00 | 393.00 | 19 | 721.00 | 1197.00 | 806.00 | 1242.00 |
| 6 | 259.00 | 400.00 | 315.00 | 466.00 | 24 | 914.00 | 1515.00 | 1009.00 | 1558.00 |
| 7 | 297.00 | 479.00 | 349.00 | 527.00 | 27 | 1008.00 | 1676.00 | 1120.00 | 1741.00 |
| 8 | 356.00 | 551.00 | 404.00 | 605.00 | 30 | 1180.00 | 1813.00 | 1232.00 | 1954.00 |
| 10 | 442.00 | 627.00 | 488.00 | 691.00 | 37 | 1422.00 | 2241.00 | 1499.00 | 2394.00 |

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES) :

| | |
|------------------------------|--------|
| A) Tinning | 3.00% |
| B) Stranding (Upto 6 SQ.MM) | 4.00% |
| C) Extruded Innersheath | 4.00% |
| D) Round Wire Armouring | |
| 1C x 95 sq. mm & above | 9.00% |
| 1.5 sq.mm - 16 core & above | 18.00% |
| 2.5 sq.mm - 10 core & above | 18.00% |
| 16 sq.mm - 4 core & above | 18.00% |
| 25 sq.mm - 2 core & above | 18.00% |
| 16 sq.mm - 3 core & above | 18.00% |

| | |
|-----------------------------|----------------------------|
| E) HR PVC INSULATION | 10.00% |
| F) OXYGEN INDEX (FR) | 4.00% |
| G) HR I.SH & O.SH. | 7.50% (Each) |
| H) FRLS Loading-Power Cable | upto 6sq mm - 11.50% |
| FRLS Loading-Power Cable | 10 sq mm and above - 6.00% |
| I) PVC Cables | 7.50% |

| FRLS Loading Factor- Control Cable | | | | LSZH | |
|------------------------------------|--------------|--------------|--------|--------------|--------------|
| Cores | Inner Sheath | Outer Sheath | | Inner Sheath | Outer Sheath |
| | | Armoured | Unarmd | | |
| 2 - 4 | 7.5% | 9.0% | 9.0% | 22.5% | 22.5% |
| 5 - 10 | 7.5% | 6.0% | 6.0% | 22.5% | 22.5% |
| 12 & Above | 7.5% | 6.0% | 6.0% | 18.0% | 18.0% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST MAY 2022

W.E.F : 11.05.2022

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), EXTRUDED PVC INNER SHEATHED , AL FLAT STRIP ARMORED , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | I CORE HT XLPE | | | | | |
|---------------------|----------------|---------------------------------|---------------------------|------------|-----------|-----------|
| | A2XCEFaY | | | | | |
| | 3.3 KV E | 6.6 KV (E) / 3.3 KV (UE) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) |
| 240 | | 1159.00 | 1274.00 | 1442.00 | 1476.00 | 1898.00 |
| 300 | | 1327.00 | 1461.00 | 1643.00 | 1681.00 | 2244.00 |
| 400 | | 1614.00 | 1752.00 | 1951.00 | 1994.00 | 2575.00 |
| 500 | | 2060.00 | 2136.00 | 2451.00 | 2451.00 | 3034.00 |
| 630 | | 2488.00 | 2556.00 | 2896.00 | 2896.00 | 3528.00 |
| 800 | | 3094.00 | 3136.00 | 3468.00 | 3468.00 | 4176.00 |
| 1000 | | 3659.00 | 4018.00 | 4299.00 | 4299.00 | 5109.00 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|-------|
| 1) FRLS PVC Inner Sheath | 11.5% |
| 2) FRLS PVC Outer Sheath | 7.5% |
| 3) Oxygen Index | 4.5% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST MAY 2022

W.E.F : 11.05.2022

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , EXTRUDED PVC INNER SHEATHED, AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | I CORE HT XLPE | | | | | |
|---------------------|----------------|---------------------------------|--------------------------|------------|-----------|-----------|
| | A2XCEWαY | | | | | |
| | 3.3 KV E | 6.6 KV (E) / 3.3 KV (UE) | 6.6 KV (UE) 11 KV(E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) |
| 240 | | 1216.00 | 1337.00 | 1518.00 | 1555.00 | 2000.00 |
| 300 | | 1401.00 | 1542.00 | 1729.00 | 1769.00 | 2365.00 |
| 400 | | 1701.00 | 1843.00 | 2052.00 | 2097.00 | 2705.00 |
| 500 | | 2170.00 | 2244.00 | 2577.00 | 2577.00 | 3196.00 |
| 630 | | 2622.00 | 2689.00 | 3044.00 | 3044.00 | 3713.00 |
| 800 | | 3253.00 | 3392.00 | 3652.00 | 3652.00 | 4394.00 |
| 1000 | | 3852.00 | 4233.00 | 4521.00 | 4521.00 | 5357.00 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|--------------------------|-------|
| 1) FRLS PVC Inner Sheath | 11.5% |
| 2) FRLS PVC Outer Sheath | 7.5% |
| 3) Oxygen Index | 4.5% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



PRICE LIST MAY 2022

W.E.F : 11.05.2022

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3ka FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

| Cable Size in sq.mm | 3 CORE HT XLPE | | | | | |
|---------------------|----------------|---------------------------------|--------------------------|------------|-----------|-----------|
| | A2XCEFY | | | | | |
| | 3.3 KV E | 6.6 KV (E) / 3.3 KV (UE) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) |
| 35 | | | 1152.00 | | | |
| 50 | | | 1321.00 | | | |
| 70 | | 1475.00 | 1571.00 | | | |
| 95 | | 1720.00 | 1880.00 | 2510.00 | 2631.00 | 3478.00 |
| 120 | | 2028.00 | 2170.00 | 2885.00 | 2977.00 | 3818.00 |
| 150 | | 2307.00 | 2432.00 | 3178.00 | 3327.00 | 4217.00 |
| 185 | | 2677.00 | 2841.00 | 3607.00 | 3751.00 | 4671.00 |
| 240 | | 3257.00 | 3420.00 | 4249.00 | 4403.00 | 5324.00 |
| 300 | | 3898.00 | 4055.00 | 4911.00 | 5062.00 | 6013.00 |
| 400 | | 4843.00 | 4953.00 | 5818.00 | 6071.00 | 6996.00 |

EXTRAS FOR SPECIAL CONSTRUCTION:

| | |
|---|-------|
| 1) Extruded PVC Inner Sheath | 4.5% |
| 2) Pressure Extruded PVC Innersheath | 19.5% |
| 3) Round Wire Armouring - Up to 11 KV (E) | 30.0% |
| 11 KV (UE) & Above | 33.0% |
| 4) FRLS PVC Inner Sheath | 7.5% |
| 5) FRLS PVC Outer Sheath | 7.5% |
| 6) FR Sheath with Oxygen Index | 4.5% |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.


PRICE LIST : 21ST MAY 2022
LP NO. KEI/W&F/LP/22-23/02 DT.21.05.2022
INDUSTRIAL MULTI STRAND CABLES
HSN CODE : 85.44.60.20
KEI HOMECAB - FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES - FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

| CONDUCTOR (AREA SQ.MM) | NO. & SIZE OF WIRE IN MM | CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING | RATE PER 90M COIL | STANDARD PACKING FOR 90MTR. | RATE PER 180M COIL | STANDARD PACKING FOR 180MTR. | RATE PER MTR |
|------------------------|--------------------------|--|-------------------|-----------------------------|--------------------|------------------------------|--------------|
| 0.50 | 16/0.20 | 4 | 1000 | 28 | 2000 | 12 | 11.11 |
| 0.75 | 24/0.20 | 7 | 1340 | 28 | 2680 | 12 | 14.89 |
| 1.00 | 32/0.20 | 11 | 1760 | 24 | 3520 | 12 | 19.56 |
| 1.50 | 30/0.25 | 14 | 2580 | 16 | 5160 | 8 | 28.67 |
| 2.50 | 50/0.25 | 19 | 4140 | 12 | 8280 | 6 | 46.00 |
| 4.00 | 56/0.30 | 26 | 6120 | 8 | 12240 | 4 | 68.00 |
| 6.00 | 84/0.30 | 31 | 9280 | 6 | 18560 | 3 | 103.11 |
| 10.00 | 80/0.40 | 42 | 16530 | 1 | | | 183.67 |
| 16.00 | 126/0.40 | 57 | 25750 | 1 | | | 286.11 |

KEI CONFLAME - FRLSH PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FLAME RETARDANT LOW SMOKE (FRLSH) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

| CONDUCTOR (AREA SQ.MM) | NO. & SIZE OF WIRE IN MM | CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING | RATE PER 90M COIL | STANDARD PACKING FOR 90MTR. | RATE PER 180M COIL | STANDARD PACKING FOR 180MTR. | RATE PER MTR |
|------------------------|--------------------------|--|-------------------|-----------------------------|--------------------|------------------------------|--------------|
| 0.50 | 16/0.20 | 4 | 1090 | 28 | 2180 | 12 | 12.11 |
| 0.75 | 24/0.20 | 7 | 1380 | 28 | 2760 | 12 | 15.33 |
| 1.00 | 32/0.20 | 11 | 1840 | 24 | 3680 | 12 | 20.44 |
| 1.50 | 30/0.25 | 14 | 2700 | 16 | 5400 | 8 | 30.00 |
| 2.50 | 50/0.25 | 19 | 4340 | 12 | 8680 | 6 | 48.22 |
| 4.00 | 56/0.30 | 26 | 6410 | 8 | 12820 | 4 | 71.22 |
| 6.00 | 84/0.30 | 31 | 9710 | 6 | 19420 | 3 | 107.89 |
| 10.00 | 80/0.40 | 42 | 17300 | 1 | | | 192.22 |
| 16.00 | 126/0.40 | 57 | 27030 | 1 | | | 300.33 |

KEI BANFIRE - SINGLE CORE, UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - ZERO HALOGEN FLAME RETARDANT (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

| CONDUCTOR (AREA SQ.MM) | NO. & SIZE OF WIRE IN MM | CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING | RATE PER 90M COIL | STANDARD PACKING FOR 90MTR. | RATE PER 180M COIL | STANDARD PACKING FOR 180MTR. | RATE PER MTR |
|------------------------|--------------------------|--|-------------------|-----------------------------|--------------------|------------------------------|--------------|
| 0.75 | 24/0.20 | 7 | 1460 | 28 | 2920 | 12 | 16.22 |
| 1.00 | 32/0.20 | 11 | 1970 | 24 | 3940 | 12 | 21.89 |
| 1.50 | 30/0.25 | 14 | 2820 | 16 | 5640 | 8 | 31.33 |
| 2.50 | 50/0.25 | 19 | 4480 | 12 | 8960 | 6 | 49.78 |
| 4.00 | 56/0.30 | 26 | 6510 | 8 | 13020 | 4 | 72.33 |
| 6.00 | 84/0.30 | 31 | 9840 | 6 | 19680 | 3 | 109.33 |
| 10.00 | 80/0.40 | 42 | 17710 | 1 | | | 196.78 |
| 16.00 | 126/0.40 | 57 | 27510 | 1 | | | 305.67 |

Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.
- Standard colours in Building wires are RED / BLACK / BLUE / YELLOW / GREEN.
- FR / FRLSH & ZHFR wires are supplied in standard lengths of 90M Coils & 180M Coils packed in Master Cartons.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7th Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277
spa.mumbai@kei-ind.com



PRICE LIST : 21st MAY 2022

LP NO. KEI/W&F/LP/22-23/02 DT.21.05.2022

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE & MULTI CORE CABLES

HSN CODE : 85.44.60.20

KEI FLEXIBLE FR PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FLAME RETARDANT (FR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

(Rate in Rs. Per 100 Mtrs)

| SQ.MM | COND. CONST. (NO./DIA. MM) | CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED | STD. PACK OF 100 MTR COIL | SINGLE CORE FR | SINGLE CORE HRFR 105 Deg | SINGLE CORE FRLSH | SQ.MM | COND. CONST. (NO./DIA. MM) | CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED | SINGLE CORE FR | SINGLE CORE HRFR 105 Deg | SINGLE CORE FRLSH |
|-------|----------------------------|---|---------------------------|----------------|--------------------------|-------------------|-------|----------------------------|---|----------------|--------------------------|-------------------|
| 0.5 | 16/0.20 | 4 | 24 | 1110 | 1190 | 1200 | 35 | 276/0.4 | 110 | 63250 | 65350 | 66320 |
| 0.75 | 24/0.20 | 7 | 24 | 1490 | 1520 | 1535 | 50 | 396/0.4 | 145 | 92010 | 93360 | 94160 |
| 1.0 | 32/0.20 | 12 | 20 | 1955 | 2040 | 2045 | 70 | 354/0.5 | 200 | 128940 | 130810 | 131790 |
| 1.5 | 30/0.25 | 16 | 16 | 2865 | 2990 | 3000 | 95 | 484/0.5 | 235 | 169830 | 173280 | 174570 |
| 2.5 | 50/0.25 | 22 | 12 | 4600 | 4800 | 4820 | 120 | 608/0.5 | 270 | 217190 | 221030 | 223920 |
| 4.0 | 56/0.30 | 29 | 8 | 6800 | 7080 | 7120 | 150 | 750/0.5 | 310 | 272170 | 277060 | 279140 |
| 6 | 84/0.30 | 37 | 4 | 10310 | 10740 | 10790 | 185 | 925/0.5 | 360 | 329860 | 336390 | 339200 |
| 10 | 80/0.40 | 51 | 1 | 18370 | 19050 | 19220 | 240 | 1210/0.5 | 425 | 435430 | 443620 | 448010 |
| 16 | 126/0.40 | 68 | 1 | 28610 | 30010 | 30030 | 300 | 1527/0.5 | 490 | 542690 | 552500 | 558380 |
| 25 | 196/0.40 | 86 | 1 | 45270 | 46810 | 47490 | 400 | 2036/0.5 | 590 | 718420 | 720630 | 727190 |

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

| SQ.MM | COND. CONST. (NO./DIA.MM) | 2 CORE | 3 CORE | 4 CORE | 5 CORE | 6 CORE | 7 CORE | 10 CORE | 12 CORE | 14 CORE | 16 CORE | 19 CORE | 24 CORE |
|-------|---------------------------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|
| 0.5 | 16/0.20 | 3370 | 4450 | 5540 | 7530 | 8720 | 9510 | 14760 | 17050 | 19440 | 22190 | 25630 | 32780 |
| 0.75 | 24/0.20 | 4580 | 5840 | 7530 | 10380 | 11840 | 13080 | 19880 | 23100 | 26680 | 30390 | 35290 | 45090 |
| 1.0 | 32/0.20 | 5100 | 6960 | 9150 | 12090 | 14360 | 16120 | 24420 | 28240 | 32630 | 37230 | 43140 | 55000 |
| 1.5 | 30/0.25 | 6960 | 9720 | 12560 | 16880 | 19770 | 22170 | 32960 | 38780 | 44920 | 51290 | 59600 | 76270 |
| 2.5 | 50/0.25 | 11280 | 15640 | 20490 | 26770 | 31650 | 35340 | 52210 | 61800 | 72280 | 82080 | 96090 | 122690 |
| 4.0 | 56/0.3 | 17590 | 25440 | 32740 | 43930 | 50330 | 58310 | 85800 | 101740 | 118000 | 134250 | 157680 | 202630 |
| 6 | 84/0.3 | 25920 | 36850 | 49150 | 63260 | | | | | | | | |
| 10 | 80/0.4 | 43340 | 62210 | 82090 | 107120 | | | | | | | | |
| 16 | 126/0.4 | 66750 | 95630 | 126230 | | | | | | | | | |
| 25 | 196/0.4 | | 153910 | 202030 | | | | | | | | | |
| 35 | 276/0.4 | | 214020 | 279100 | | | | | | | | | |
| 50 | 396/0.4 | | 306490 | 400660 | | | | | | | | | |
| 70 | 354/0.5 | | 422930 | 556500 | | | | | | | | | |
| 95 | 484/0.5 | | 0 | 736320 | | | | | | | | | |
| 120 | 608/0.5 | | | | | | | | | | | | |

Note :

KEI 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

(Rate in Rs. Per 100 Mtrs)

| SQ. MM | COND. CONST. (NO./DIA.MM) | RATE |
|--------|---------------------------|--------|
| 1.5 | 30/0.25 | 9990 |
| 2.5 | 50/0.25 | 15460 |
| 4 | 56/0.3 | 22980 |
| 6 | 84/0.3 | 34220 |
| 10 | 80/0.4 | 57610 |
| 16 | 126/0.4 | 91030 |
| 25 | 196/0.4 | 136820 |

- FRLS Loading - 3% Extra for Multi Core Flexible Cables.**
- KEI 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.
- Packing for 3 Core Flat Submersible Cables :**
 - Cables upto 4sqmm are supplied in 500Mtr/1000Mtr drums.
 - Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
 - Cables of 1.5sqmm, 2.5sqmm & 4sqmm are also supplied in 300Mtr coil.
- Packing for Single & Multi Core Round Wire Flexible cables :**
 - Single Core Flexible cables upto 6sqmm are supplied in Master Carton as shown above.
 - Single Core 10sqmm and above will be supplied in single coil packing.
 - Single Core 120sqmm and above & Multicore 6sqmm & above available in coil packing.

- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7TH Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com



PRICE LIST : 21st MAY 2022

PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

W.E.F : 21.05.2022

RATE (Rs.) PER MTR

| SIZE (AREA SQ.MM) | STANDARD PACKING MTRS. | "KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618. | | | "KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables. | |
|-------------------------|------------------------------|---|------------------------------------|----------------------------|---|-----------------|
| | | Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air | TUV 2 Pfg 1169/08.2007 PV1-F | EN/BS EN 50618 H1Z2Z2-K | Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air | XLPE/PVC 2XY |
| 1.50 | 1000 | 30 | 39.60 | 45.80 | 25 | 38.07 |
| 2.50 | 1000 | 41 | 59.60 | 67.35 | 35 | 57.46 |
| 4 | 1000 | 55 | 82.50 | 90.38 | 45 | 80.14 |
| 6 | 1000 | 70 | 121.98 | 130.77 | 58 | 117.34 |
| 10 | 1000 | 98 | 200.66 | 212.47 | 80 | 194.56 |
| 16 | 1000 | 132 | 313.84 | 332.19 | 106 | 305.22 |
| 25 | 1000 | 176 | ---- | 543.01 | 135 | 504.00 |
| 35 | 1000 | 218 | ---- | 749.10 | 173 | 699.69 |
| 50 | 1000 | 276 | ---- | 1062.04 | 226 | 995.34 |
| 70 | 1000 | 347 | ---- | 1460.94 | 336 | 1383.01 |
| 95 | 1000 | 416 | ---- | 1962.06 | 406 | 1870.13 |
| 120 | 1000 | 488 | ---- | 2465.85 | 476 | 2358.18 |
| 150 | 500 | 566 | ---- | 3079.90 | 555 | 2944.43 |
| 185 | 500 | 644 | ---- | 3805.84 | 649 | 3631.97 |
| 240 | 500 | 775 | ---- | 4914.21 | 781 | 4702.66 |

Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. HSN - 85446090
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 300/500 Mtrs in Coils (up to 6 Sq.mm) & 1000 Mtrs in wooden spool / drum.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

KEI WIRES & CABLES

INSTRUMENTATION CABLES PRICE LIST MAY-2022

Stranded/Solid Plain Copper, PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al Mylar/Drain Wire, PVC Inner Sheathed GI Round/Strip Armoured & Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

| Type | No. | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr |
|-------|-----|------|------------|------|------------|------|------------|------|------------|------|------------|
| CORE | 2 | 0.5 | 124 | 0.75 | 144 | 1 | 161 | 1.5 | 192 | 2.5 | 264 |
| CORE | 3 | 0.5 | 148 | 0.75 | 179 | 1 | 203 | 1.5 | 250 | 2.5 | 348 |
| CORE | 4 | 0.5 | 167 | 0.75 | 200 | 1 | 235 | 1.5 | 293 | 2.5 | 423 |
| CORE | 5 | 0.5 | 185 | 0.75 | 229 | 1 | 270 | 1.5 | 344 | 2.5 | 501 |
| CORE | 6 | 0.5 | 210 | 0.75 | 264 | 1 | 316 | 1.5 | 404 | 2.5 | 609 |
| CORE | 7 | 0.5 | 226 | 0.75 | 289 | 1 | 348 | 1.5 | 454 | 2.5 | 678 |
| CORE | 8 | 0.5 | 255 | 0.75 | 326 | 1 | 393 | 1.5 | 517 | 2.5 | 771 |
| CORE | 10 | 0.5 | 293 | 0.75 | 383 | 1 | 470 | 1.5 | 622 | 2.5 | 945 |
| CORE | 12 | 0.5 | 332 | 0.75 | 439 | 1 | 537 | 1.5 | 722 | 2.5 | 1077 |
| CORE | 14 | 0.5 | 378 | 0.75 | 488 | 1 | 610 | 1.5 | 841 | 2.5 | 1261 |
| CORE | 16 | 0.5 | 417 | 0.75 | 549 | 1 | 683 | 1.5 | 930 | 2.5 | 1423 |
| CORE | 19 | 0.5 | 467 | 0.75 | 621 | 1 | 788 | 1.5 | 1064 | 2.5 | 1670 |
| CORE | 24 | 0.5 | 566 | 0.75 | 779 | 1 | 957 | 1.5 | 1318 | 2.5 | 2097 |
| PAIR | 1 | 0.5 | 124 | 0.75 | 144 | 1 | 161 | 1.5 | 192 | 2.5 | 264 |
| PAIR | 2 | 0.5 | 181 | 0.75 | 218 | 1 | 251 | 1.5 | 311 | 2.5 | 447 |
| PAIR | 3 | 0.5 | 218 | 0.75 | 272 | 1 | 326 | 1.5 | 415 | 2.5 | 618 |
| PAIR | 4 | 0.5 | 260 | 0.75 | 331 | 1 | 399 | 1.5 | 523 | 2.5 | 784 |
| PAIR | 5 | 0.5 | 301 | 0.75 | 391 | 1 | 476 | 1.5 | 632 | 2.5 | 960 |
| PAIR | 6 | 0.5 | 347 | 0.75 | 454 | 1 | 552 | 1.5 | 737 | 2.5 | 1120 |
| PAIR | 7 | 0.5 | 381 | 0.75 | 497 | 1 | 620 | 1.5 | 851 | 2.5 | 1276 |
| PAIR | 8 | 0.5 | 427 | 0.75 | 567 | 1 | 701 | 1.5 | 943 | 2.5 | 1446 |
| PAIR | 10 | 0.5 | 511 | 0.75 | 674 | 1 | 844 | 1.5 | 1149 | 2.5 | 1765 |
| PAIR | 12 | 0.5 | 579 | 0.75 | 788 | 1 | 994 | 1.5 | 1346 | 2.5 | 2103 |
| PAIR | 14 | 0.5 | 637 | 0.75 | 883 | 1 | 1116 | 1.5 | 1557 | 2.5 | 2395 |
| PAIR | 16 | 0.5 | 727 | 0.75 | 973 | 1 | 1260 | 1.5 | 1737 | 2.5 | 2721 |
| PAIR | 19 | 0.5 | 827 | 0.75 | 1151 | 1 | 1468 | 1.5 | 2031 | 2.5 | 3189 |
| PAIR | 24 | 0.5 | 1033 | 0.75 | 1445 | 1 | 1828 | 1.5 | 2554 | 2.5 | 4007 |
| TRIAD | 1 | 0.5 | 150 | 0.75 | 181 | 1 | 205 | 1.5 | 254 | 2.5 | 350 |
| TRIAD | 2 | 0.5 | 250 | 0.75 | 310 | 1 | 344 | 1.5 | 445 | 2.5 | 643 |
| TRIAD | 3 | 0.5 | 310 | 0.75 | 392 | 1 | 447 | 1.5 | 587 | 2.5 | 868 |
| TRIAD | 4 | 0.5 | 373 | 0.75 | 480 | 1 | 559 | 1.5 | 737 | 2.5 | 1094 |
| TRIAD | 5 | 0.5 | 428 | 0.75 | 569 | 1 | 663 | 1.5 | 894 | 2.5 | 1330 |
| TRIAD | 6 | 0.5 | 494 | 0.75 | 659 | 1 | 776 | 1.5 | 1032 | 2.5 | 1563 |
| TRIAD | 7 | 0.5 | 546 | 0.75 | 730 | 1 | 867 | 1.5 | 1163 | 2.5 | 1780 |
| TRIAD | 8 | 0.5 | 614 | 0.75 | 802 | 1 | 971 | 1.5 | 1319 | 2.5 | 2031 |
| TRIAD | 10 | 0.5 | 729 | 0.75 | 994 | 1 | 1180 | 1.5 | 1624 | 2.5 | 2504 |
| TRIAD | 12 | 0.5 | 830 | 0.75 | 1143 | 1 | 1383 | 1.5 | 1896 | 2.5 | 2964 |
| TRIAD | 14 | 0.5 | 943 | 0.75 | 1306 | 1 | 1581 | 1.5 | 2179 | 2.5 | 3414 |
| TRIAD | 16 | 0.5 | 1045 | 0.75 | 1456 | 1 | 1777 | 1.5 | 2469 | 2.5 | 3870 |
| TRIAD | 19 | 0.5 | 1206 | 0.75 | 1692 | 1 | 2069 | 1.5 | 2883 | 2.5 | 4538 |
| TRIAD | 24 | 0.5 | 1494 | 0.75 | 2117 | 1 | 2587 | 1.5 | 3632 | 2.5 | 5711 |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



INSTRUMENTATION CABLES PRICE LIST MAY-2022

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Mylar/Drain Wire Unrmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

| Type | No. | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr | Size | Rate / mtr |
|--------|-----|------|------------|------|------------|------|------------|------|------------|------|------------|
| PAIR | 1 | 0.5 | 78 | 0.75 | 93 | 1 | 111 | 1.5 | 132 | 2.5 | 183 |
| PAIR | 2 | 0.5 | 123 | 0.75 | 152 | 1 | 183 | 1.5 | 257 | 2.5 | 350 |
| PAIR | 3 | 0.5 | 160 | 0.75 | 204 | 1 | 257 | 1.5 | 333 | 2.5 | 499 |
| PAIR | 4 | 0.5 | 183 | 0.75 | 257 | 1 | 333 | 1.5 | 424 | 2.5 | 647 |
| PAIR | 5 | 0.5 | 240 | 0.75 | 316 | 1 | 464 | 1.5 | 516 | 2.5 | 797 |
| PAIR | 6 | 0.5 | 274 | 0.75 | 350 | 1 | 499 | 1.5 | 630 | 2.5 | 940 |
| PAIR | 7 | 0.5 | 298 | 0.75 | 403 | 1 | 516 | 1.5 | 700 | 2.5 | 1089 |
| PAIR | 8 | 0.5 | 333 | 0.75 | 445 | 1 | 609 | 1.5 | 797 | 2.5 | 1239 |
| PAIR | 10 | 0.5 | 403 | 0.75 | 574 | 1 | 739 | 1.5 | 999 | 2.5 | 1548 |
| PAIR | 12 | 0.5 | 484 | 0.75 | 660 | 1 | 869 | 1.5 | 1183 | 2.5 | 1824 |
| PAIR | 14 | 0.5 | 534 | 0.75 | 761 | 1 | 999 | 1.5 | 1347 | 2.5 | 2101 |
| PAIR | 16 | 0.5 | 630 | 0.75 | 847 | 1 | 1145 | 1.5 | 1548 | 2.5 | 2399 |
| PAIR | 19 | 0.5 | 720 | 0.75 | 1012 | 1 | 1328 | 1.5 | 1807 | 2.5 | 2820 |
| PAIR | 24 | 0.5 | 887 | 0.75 | 1255 | 1 | 1657 | 1.5 | 2271 | 2.5 | 3576 |
| TRIAID | 1 | 0.5 | 103 | 0.75 | 116 | 1 | 147 | 1.5 | 181 | 2.5 | 264 |
| TRIAID | 2 | 0.5 | 170 | 0.75 | 208 | 1 | 258 | 1.5 | 334 | 2.5 | 495 |
| TRIAID | 3 | 0.5 | 227 | 0.75 | 277 | 1 | 352 | 1.5 | 464 | 2.5 | 701 |
| TRIAID | 4 | 0.5 | 280 | 0.75 | 349 | 1 | 450 | 1.5 | 593 | 2.5 | 917 |
| TRIAID | 5 | 0.5 | 336 | 0.75 | 422 | 1 | 552 | 1.5 | 731 | 2.5 | 1138 |
| TRIAID | 6 | 0.5 | 394 | 0.75 | 499 | 1 | 649 | 1.5 | 869 | 2.5 | 1348 |
| TRIAID | 7 | 0.5 | 445 | 0.75 | 564 | 1 | 740 | 1.5 | 994 | 2.5 | 1551 |
| TRIAID | 8 | 0.5 | 505 | 0.75 | 645 | 1 | 843 | 1.5 | 1145 | 2.5 | 1769 |
| TRIAID | 10 | 0.5 | 617 | 0.75 | 794 | 1 | 1054 | 1.5 | 1418 | 2.5 | 2200 |
| TRIAID | 12 | 0.5 | 720 | 0.75 | 940 | 1 | 1240 | 1.5 | 1674 | 2.5 | 2608 |
| TRIAID | 14 | 0.5 | 822 | 0.75 | 1082 | 1 | 1429 | 1.5 | 1932 | 2.5 | 3020 |
| TRIAID | 16 | 0.5 | 942 | 0.75 | 1224 | 1 | 1623 | 1.5 | 2200 | 2.5 | 3451 |
| TRIAID | 19 | 0.5 | 1099 | 0.75 | 1431 | 1 | 1903 | 1.5 | 2581 | 2.5 | 4070 |
| TRIAID | 24 | 0.5 | 1373 | 0.75 | 1798 | 1 | 2388 | 1.5 | 3270 | 2.5 | 5124 |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



INSTRUMENTATION CABLES PRICE LIST MAY-2022

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire PVC Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

INDIVIDUAL & OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES

| Type | No. | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr |
|-------|-----|------|------------|------|------------|------|------------|------|------------|------|------------|
| PAIR | 2 | 0.5 | 248 | 0.75 | 277 | 1 | 314 | 1.5 | 383 | 2.5 | 530 |
| PAIR | 3 | 0.5 | 318 | 0.75 | 355 | 1 | 416 | 1.5 | 511 | 2.5 | 721 |
| PAIR | 4 | 0.5 | 380 | 0.75 | 434 | 1 | 507 | 1.5 | 641 | 2.5 | 890 |
| PAIR | 5 | 0.5 | 444 | 0.75 | 510 | 1 | 605 | 1.5 | 743 | 2.5 | 1075 |
| PAIR | 6 | 0.5 | 491 | 0.75 | 593 | 1 | 679 | 1.5 | 873 | 2.5 | 1253 |
| PAIR | 7 | 0.5 | 560 | 0.75 | 656 | 1 | 780 | 1.5 | 988 | 2.5 | 1425 |
| PAIR | 8 | 0.5 | 637 | 0.75 | 725 | 1 | 875 | 1.5 | 1119 | 2.5 | 1624 |
| PAIR | 10 | 0.5 | 752 | 0.75 | 885 | 1 | 1065 | 1.5 | 1368 | 2.5 | 1993 |
| PAIR | 12 | 0.5 | 840 | 0.75 | 1029 | 1 | 1230 | 1.5 | 1613 | 2.5 | 2280 |
| PAIR | 14 | 0.5 | 972 | 0.75 | 1158 | 1 | 1411 | 1.5 | 1824 | 2.5 | 2696 |
| PAIR | 16 | 0.5 | 1094 | 0.75 | 1302 | 1 | 1584 | 1.5 | 2057 | 2.5 | 3051 |
| PAIR | 19 | 0.5 | 1250 | 0.75 | 1497 | 1 | 1831 | 1.5 | 2401 | 2.5 | 3567 |
| PAIR | 24 | 0.5 | 1556 | 0.75 | 1881 | 1 | 2301 | 1.5 | 3029 | 2.5 | 4486 |
| TRIID | 2 | 0.5 | 305 | 0.75 | 352 | 1 | 397 | 1.5 | 495 | 2.5 | 683 |
| TRIID | 3 | 0.5 | 380 | 0.75 | 449 | 1 | 520 | 1.5 | 658 | 2.5 | 933 |
| TRIID | 4 | 0.5 | 464 | 0.75 | 557 | 1 | 645 | 1.5 | 809 | 2.5 | 1185 |
| TRIID | 5 | 0.5 | 544 | 0.75 | 659 | 1 | 773 | 1.5 | 987 | 2.5 | 1455 |
| TRIID | 6 | 0.5 | 630 | 0.75 | 752 | 1 | 888 | 1.5 | 1155 | 2.5 | 1707 |
| TRIID | 7 | 0.5 | 696 | 0.75 | 839 | 1 | 995 | 1.5 | 1308 | 2.5 | 1940 |
| TRIID | 8 | 0.5 | 777 | 0.75 | 964 | 1 | 1131 | 1.5 | 1494 | 2.5 | 2213 |
| TRIID | 10 | 0.5 | 936 | 0.75 | 1166 | 1 | 1386 | 1.5 | 1832 | 2.5 | 2751 |
| TRIID | 12 | 0.5 | 1083 | 0.75 | 1353 | 1 | 1619 | 1.5 | 2140 | 2.5 | 3224 |
| TRIID | 14 | 0.5 | 1219 | 0.75 | 1538 | 1 | 1859 | 1.5 | 2470 | 2.5 | 3714 |
| TRIID | 16 | 0.5 | 1370 | 0.75 | 1735 | 1 | 2086 | 1.5 | 2794 | 2.5 | 4214 |
| TRIID | 19 | 0.5 | 1589 | 0.75 | 2015 | 1 | 2447 | 1.5 | 3285 | 2.5 | 4938 |
| TRIID | 24 | 0.5 | 1993 | 0.75 | 2536 | 1 | 3086 | 1.5 | 4104 | 2.5 | 6250 |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



INSTRUMENTATION CABLES PRICE LIST MAY-2022

Stranded/Solid Plain Copper, PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Unarmoured PVC Outer Sheathed Instrumentation Cable.

INDIVIDUAL & OVERALL SHIELDED - UNARMoured INSTRUMENTATION CABLES

| Type | No. | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr | Size | Rate / Mtr |
|-------|-----|------|------------|------|------------|------|------------|------|------------|------|------------|
| PAIR | 2 | 0.5 | 160 | 0.75 | 183 | 1 | 225 | 1.5 | 274 | 2.5 | 389 |
| PAIR | 3 | 0.5 | 204 | 0.75 | 257 | 1 | 316 | 1.5 | 389 | 2.5 | 555 |
| PAIR | 4 | 0.5 | 257 | 0.75 | 316 | 1 | 389 | 1.5 | 499 | 2.5 | 720 |
| PAIR | 5 | 0.5 | 316 | 0.75 | 389 | 1 | 484 | 1.5 | 609 | 2.5 | 887 |
| PAIR | 6 | 0.5 | 371 | 0.75 | 464 | 1 | 574 | 1.5 | 720 | 2.5 | 1054 |
| PAIR | 7 | 0.5 | 424 | 0.75 | 516 | 1 | 647 | 1.5 | 812 | 2.5 | 1200 |
| PAIR | 8 | 0.5 | 484 | 0.75 | 590 | 1 | 739 | 1.5 | 940 | 2.5 | 1384 |
| PAIR | 10 | 0.5 | 590 | 0.75 | 739 | 1 | 922 | 1.5 | 1163 | 2.5 | 1696 |
| PAIR | 12 | 0.5 | 686 | 0.75 | 869 | 1 | 1072 | 1.5 | 1361 | 2.5 | 2029 |
| PAIR | 14 | 0.5 | 812 | 0.75 | 999 | 1 | 1255 | 1.5 | 1586 | 2.5 | 2342 |
| PAIR | 16 | 0.5 | 906 | 0.75 | 1127 | 1 | 1406 | 1.5 | 1807 | 2.5 | 2673 |
| PAIR | 19 | 0.5 | 1054 | 0.75 | 1328 | 1 | 1657 | 1.5 | 2121 | 2.5 | 3155 |
| PAIR | 24 | 0.5 | 1328 | 0.75 | 1657 | 1 | 2085 | 1.5 | 2673 | 2.5 | 3968 |
| TRIAD | 2 | 0.5 | 218 | 0.75 | 247 | 1 | 301 | 1.5 | 378 | 2.5 | 546 |
| TRIAD | 3 | 0.5 | 291 | 0.75 | 336 | 1 | 416 | 1.5 | 525 | 2.5 | 772 |
| TRIAD | 4 | 0.5 | 369 | 0.75 | 432 | 1 | 534 | 1.5 | 684 | 2.5 | 1012 |
| TRIAD | 5 | 0.5 | 445 | 0.75 | 522 | 1 | 649 | 1.5 | 833 | 2.5 | 1244 |
| TRIAD | 6 | 0.5 | 517 | 0.75 | 615 | 1 | 770 | 1.5 | 1001 | 2.5 | 1478 |
| TRIAD | 7 | 0.5 | 587 | 0.75 | 700 | 1 | 881 | 1.5 | 1145 | 2.5 | 1699 |
| TRIAD | 8 | 0.5 | 667 | 0.75 | 810 | 1 | 1012 | 1.5 | 1305 | 2.5 | 1940 |
| TRIAD | 10 | 0.5 | 833 | 0.75 | 996 | 1 | 1250 | 1.5 | 1616 | 2.5 | 2426 |
| TRIAD | 12 | 0.5 | 978 | 0.75 | 1170 | 1 | 1473 | 1.5 | 1908 | 2.5 | 2879 |
| TRIAD | 14 | 0.5 | 1121 | 0.75 | 1347 | 1 | 1699 | 1.5 | 2206 | 2.5 | 3333 |
| TRIAD | 16 | 0.5 | 1262 | 0.75 | 1527 | 1 | 1930 | 1.5 | 2507 | 2.5 | 3787 |
| TRIAD | 19 | 0.5 | 1478 | 0.75 | 1789 | 1 | 2267 | 1.5 | 2968 | 2.5 | 4434 |
| TRIAD | 24 | 0.5 | 1853 | 0.75 | 2263 | 1 | 2868 | 1.5 | 3732 | 2.5 | 5615 |

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- Freight as per Cable Freight Policy.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED (MUMBAI)

Nirvan Corporate, 7TH Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 022 2825 8277
E-mail : spa.mumbai@kei-ind.com



CO-AXIAL & COMMUNICATION CABLES

PRICE LIST : 21st MAY 2022

LP NO. KEI/COMM/LP/22-23/02 DT. 21.05.2022

KEI INDUSTRIAL JELLY FILLED CO AXIAL CABLES

KEI Polyethylene Foam insulation with laminated aluminum tape and Aluminium wire braid, Jelly filled Black PVC oversheathed Co Axial Cables.

| SIZE | 100 Mtr. Packing | 305 Mtr. Packing |
|-----------|------------------|------------------|
| RG-59 | 2185 | 6664 |
| RG-6 CU | 3045 | 9287 |
| RG-6 CCS | 1880 | 5734 |
| RG-11 CU | 6800 | 20740 |
| RG-11 CCS | 3800 | 11590 |

KEI LAN (COMPUTER) & CCTV (3+1 & 4+1) CABLES

KEI 4 pair Unshielded Twisted Pair (UTP) LAN Cables

| SIZE | 100 Mtr. Packing | 305 Mtr. Packing |
|-----------------------|------------------|------------------|
| CAT-6, 4 pair UTP LAN | NA | 12830 |

KEI CCTV Cable

| SIZE | 100 Mtr. Packing | 180 Mtr. Packing |
|-----------------------|------------------|------------------|
| CCTV (3+1) with RG-59 | 0 | 0 |
| CCTV (4+1) with RG-59 | 4730 | 0 |
| CCTV (3+1) | 0 | 0 |
| CCTV (4+1) | 0 | 0 |

KEI TELEPHONE CABLES

KEI Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyester and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specification.

| No. of Pairs | Size - mm | 100 Mtr. Packing | Size - mm | 100 Mtr. Packing |
|--------------|-----------|------------------|-----------|------------------|
| 1 Pair | 0.40 | 775 | 0.50 | 1120 |
| 2 Pair | 0.40 | 1375 | 0.50 | 1950 |
| 3 Pair | 0.40 | 2015 | 0.50 | 2870 |
| 4 Pair | 0.40 | 2575 | 0.50 | 3780 |
| 5 Pair | 0.40 | 3175 | 0.50 | 4695 |
| 10 Pair | 0.40 | 6400 | 0.50 | 9175 |

Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per W&F Policy.
- Please refer to our Marketing Department for Communication Cables, not covered above.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.